AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of claims:

- 1. (Currently Amended) A silver halide photographic emulsion comprising grains, wherein not less than 85% of the total projected area of the grains are occupied by tabular grains meeting requirements (i) to (v) (vi) below:
- (i) silver bromochloroiodide grains having (111) faces as major surfaces,
- (ii) hexagonal grains having a ratio of the length of an edge having the maximum length to the length of an edge having the minimum length of not more than 2,
- (iii) perfect epitaxial grains having a total of six epitaxial junctions each existing only in each of six apex portions of the hexagonal grains,
 - (iv) the silver chloride content is 1 to 6 mol%, and
 - (v) the silver iodide content is 0.5 to 10 mol%, and
- (vi) the silver chloride content of the epitaxial portion is 50 mol% or less.
- 2. (Currently Amended) The emulsion according to claim 1, wherein said tabular grains further meet the following requirement:

- $\underline{\text{(vii)}}$ (vi) an equivalent circle diameter is not less than 0.6 μm and a thickness is not more than 0.2 μm .
- 3. (Original) The emulsion according to claim 1, wherein the variation coefficient of the equivalent-circlediameters of all the grains is not more than 30%.
- 4. (Original) The emulsion according to claim 2, wherein the variation coefficient of the equivalent-circle diameters of all the grains is not more than 30%.
- 5. (Currently Amended) The emulsion according to claim 1, wherein said tabular grains further meet the following requirement:
- (viii) (vii) an equivalent-circle diameter is not less than 1.0 μm and a thickness is not more than 0.1 μm .
- 6. (Original) The emulsion according to claim 1, wherein the variation coefficient of the equivalent-circle diameters of all the grains is not more than 20%.
- 7. (Original) The emulsion according to claim 2, wherein the variation coefficient of the equivalent-circle diameters of all the grains is not more than 20%.

- 8. (Original) The emulsion according to claim 5, wherein the variation coefficient of the equivalent-circle diameters of all the grains is not more than 20%.
- 9. (Original) The emulsion according to claim 1, wherein the perfect epitaxial grains defined in said requirement (iii) have no dislocation line except in the epitaxial apex portions.
- 10. (Previously Presented) The emulsion according to claim 2, wherein the perfect epitaxial grains defined in said requirement (iii) have no dislocation lines except in the epitaxial apex portion.

11-16. (Canceled).

- 17. (Currently Amended) The emulsion according to claim 1, wherein said tabular grains further meet the following requirement:
- (ix) (viii) the silver chloride content of each individual tabular grain is 0.7 to 1.3 CL mol%, wherein CL mol% is the average silver chloride content of all the grains.
- 18. (Currently Amended) The emulsion according to claim 1, wherein said tabular grains further meet the following requirement:

- $\frac{(x)}{(ix)}$ the silver iodide content of each individual tabular grain is 0.7 to 1.3 I mol%, wherein I mol% is the average silver iodide content of all the grains.
- 19. (Original) The emulsion according to claim 1, wherein the pBr of the emulsion at 40°C is not more than 3.5.

20. (Canceled).

- 21. (Original) A silver halide photographic lightsensitive material having a sensitive layer on a support, wherein the sensitive layer contains the silver halide photographic emulsion according to claim 1.
- 22. (New) The emulsion according to claim 1, wherein said tabular grains further meet the following requirement:
- (xi) the silver iodide content of the epitaxial portion is 1
 to 20 mol%.